

## Technical sheet

# Twilight

Corrected grain, chrome tannage, aniline through-dyeing. Leather has a wax vintage aniline finish. Please find below the technical information provided by the producer of this leather.

<b>Origine hides</b>			NOT European
<b>Average size</b>			4,8 m2
<b>Thickness</b>			1.2-1.4 mm
<b>IUF 450 / UNI EN ISO 11640</b>			
<b>Colour fastness to rubbing</b>		50 cycles dry	≥2-3 grey scale
		20 cycles wet	≥2-3 grey scale
<b>IUP 20, UNI EN ISO 5402</b>			
		N/A	N/A
<b>ISO 3377-1</b>			
<b>Tear resistance</b>			≥20 N
<b>IUF 470, UNI EN ISO 11644</b>			
		N/A	N/A
<b>UNI EN ISO105-B02 (xenon test)</b>			
<b>Colour fastness to artificial light, 72h exposition</b>			≥2-3 blue scale

All our leathers comply with the strict regulations and EU Directives covering the use and presence of PCP, CFC, Chromo (VI) and Azo dyestuffs during the tanning process. Due to the natural properties of leather colour variations between one dye lot and another may occur.

The General Conditions of Ropelli B.V. (which are registered at Chamber of Commerce NL reg. nr. 64778010) apply on all our conventions. In particular (article 7), Client is responsible for having established whether the products meet the requirements arising from the intended use by Client. The values in this technical sheet are not a warranty in legal sense.